Product Name: RICOH THERMAL TRANSFER RIBBON TYPE B210A MSDS Number: Date Prepared: 28/12/2007 Date confirmed: 15/12 2010 Date Modified: 15/12/2010 Date: 09/03/2016

RICOH

# Safety Data Sheet (ISO form)

## 1. Product and Company Identification

Product Name :RICOH THERMAL TRANSFER RIBBON TYPE B210A

General Use :For Printer

MSDS Number :

Company Name : Ricoh Company,Ltd.

Department :Chemical Substances Section, Safety Engineering Department, Quality

Management Division

Address :146-1 Nishisawada, Numazu-shi, Shizuoka-ken, 410-0007, Japan

Telephone Number :055-920-1470, Japan :055-920-1479, Japan :055-920-1479, Japan :msdsinfo@nts.ricoh.co.jp

## 2. Composition/Information on Ingredients

Substance or Preparation

Preparation

Chemical Nature

Ingredients	Chemical Formula	CAS.No.	Contents(%)
Polyester Film	(C10H8O4)n	25038-59-9	61
Carnauba Wax	Not Identified	8015-86-9	32
Petroleum Resin	Confidential	Confidential	3
Pigment	Confidential	Confidential	3
Acrylic Resin	Confidential	Confidential	1
Ethylene Glycol	C2H6O2	107-21-1	1

This product does not contain any of the following substances as ingredients.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE).

#### 3. Hazards Identification

The Most Important Hazards

Adverse Human Health Effects

There are no significant hazards expected with intended use.

**Environmental Effects** 

There are no significant hazards expected with intended use.

Physical and Chemical Hazards

There are no significant hazards expected with intended use.

Specific Hazards

There are no significant hazards expected with intended use.

-1- [IS0]

Product Name: RICOH THERMAL TRANSFER RIBBON TYPE B210A MSDS Number: Date Prepared: 28/12/2007 Date Modified: 15/12 2010 OutputDate: 09/03/2016



Main Symptoms

Acute Inhalation Toxicity

Under normal use conditions, there is no possibility to inhale the particle of ink.

Acute Oral Toxicity

Low acute toxicity in animal experiment.

Acute Eye Irritation

Under normal use conditions, there is no possibility to enter into the eye.

Acute Skin Irritation

May be non-irritant.

Sensitization

From test no apparent significant hazards are expected.

Chronic Effect

Under normal use conditions, there is no possibility to inhale the particle of ink.

Carcinogenicity

This product does not contain the substances classified as carcinogenic by NTP, IARC or OSHA.

The Classification of The Chemical Product

This preparation is not classified as dangerous according to Directive 1999/45/EC.

#### 4.First-Aid Measures

Inhalation

Not applicable

Skin Contact

There is no problem if it touches skin under normal use conditions.

Eye Contact

Flush with a large amount of water until particles are removed. Seek medical advice.

Ingestion

Induce vomiting. Seek medical attention.

Notes to a physician

Not applicable

## 5.Fire-Fighting Measures

**Extinguishing Media** 

CO2, dry chemicals, foam or water.

Extinguishing Media to Avoid

Not applicable.

Specific Hazards

Not applicable

Specific Method

No special fire protecting method is required. Sprinkling or fire extinguishers can be used.

Protection of Fire-fighters

Wear gloves, glasses, a mask if necessary.

# 6.Accidental Release Measures

Personal Precautions

Not applicable

**Environment Precautions** 

Not applicable

Methods for Cleaning Up

Not applicable

-2- [IS0]

Product Name: RICOH THERMAL TRANSFER RIBBON TYPE B210A MSDS Number: Date Prepared: 28/12/2007 Date Modified: 15/12/2010 Output Date: 09/03/2016



## 7. Handling and Storage

Handling

Technical Measures/Precautions

Not applicable

Safe Handling Advice

In order to protect quality, do not wet with water, oil or medicine.

Storage

**Technical Measures** 

Not applicable

Storage Conditions

Keep out of reach of children.

In order to protect quality, avoid direct sunlight and humidity and store it indoor.

Packaging Material

Not applicable

Specific Use(s)

Image formation in printing machines.

#### 8. Exposure Controls/Personal Protection

Technical Measures

Use adequate ventilation. None required with intended use.

Control Parameters

USA OSHA PEL (TWA) : Not applicable
ACGIH TLV (TWA) : Not applicable
DFG MAK : Not applicable

Personal Protection

Respiratory Protections

None required in normal use.

Hand Protection

None required in normal use..

Eye Protection

None required in normal use.

Skin and Body Protection

None required in normal use.

Hygiene Measures

Wash hands after handling.

## 9. Physical and Chemical Properties

Appearance

Physical State : Solid
Form : Ribbon
Colour : Blue
Odour : No odour

Information

pH: Not applicable

Specific Temperatures/Temperature Ranges at Which Changes in Physical State Occur

Boiling Point (degrees centigrade) : Not applicable

Melting Point (degrees centigrade) : (Softening point) Approx.70

Decomposition Temperature (degrees centigrade) : Not available
Flash Point (degrees centigrade) : Not applicable

Explosion Properties (degrees centigrade) : This product is considered a nonexplosive material under

normal use.

-3- [IS0]

Product Name: RICOH THERMAL TRANSFER RIBBON TYPE B210A MSDS Number: Date Prepared: 28/12/2007 Date Modified: 15/12/2010 OutputDate: 09/03/2016



Vapor Pressure (Pa) : Not applicable Vapor Density(AIR=1) : Not applicable

Density (g/cm3) : Not available Measuring Temp (degrees centigrade) : -

Solubility

Water Solubility (g/L) : Insoluble

Other solvent Solubility : Not available Measuring Temp (degrees centigrade) : -

(g/L)

Octanol/Water Partition Coefficient

Not available

Other Information

Flammability : Not flammable Viscosity (Pa·s) : Not applicable Volatile (%) : Below 0.1

## 10. Stability and Reactivity

Stability

Stable

Hazardous Reaction

There is no significant hazardous reaction expected with intended use.

Conditions to Avoid

Not applicable in normal use.

Materials to Avoid

Not applicable in normal use.

Hazardous Decomposition Products

Decomposition products will not occur.

## 11.Toxicological Information

Acute Toxicity

Acute Oral Toxicity (LD50):

2000 or over [mg/kg] (Rat)

Acute Dermal Toxicity:

Not available

Acute Inhalation Toxicity:

Not available

Local effects

Acute Skin Irritation(PII):

Non-irritant

Acute Eye Irritation:

Not available (Ingredients are not classified as dangerous according to Directive 67/548/EEC.)

Sensitization

Acute Allergenic Effects:

0 %

Specific Effects

Carcinogenicity:

This product does not contain the carcinogenic substances which are listed on NTP, IARC and OSHA.

Mutagenicity: Negative

Reproduction Toxicity: Does not contain substances listed as hazardous to reproductive health.

-4-

[IS0]

Product Name: RICOH THERMAL TRANSFER RIBBON TYPE B210A MSDS Number: Date Prepared: 28/12/2007 Date Modified: 15/12/2010 OutputDate: 09/03/2016



12. Ecological Information

Mobility : No data are available on the adverse effect one environment.

Persistence/Degradability : Not available Bioaccumulation : Not available

Ecotoxicity

Acute Toxicity for Fish (LC50) : Not available
Acute Toxicity for Daphnia (EC50) : Not available
Algae Inhibition Test (IC50) : Not available

#### 13.Disposal Consideration

General information:

Used ribbon should be disposed in an environmentally appropriate manner and accordance with governmental regulations.

Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

Precautions:

Not applicable

#### 14. Transport Information

International Regulations

Land Transport

RID/ADR : Not applicable
DOT 49 CFR : Not applicable
ADNR : Not applicable

Sea Transport

IMDG Code : Not applicable

Air Transport

ICAO-TI/IATA-DGR : Not applicable

The UN Classification Number : Not applicable Class : Not applicable

Specific Precautionary Transport Measures and conditions

None in normal use.

## 15. Regulatory Information

Regulations

EU Information

Information on the label (1999/45/EC and 67/548/EEC)

Symbols & Indications
R-Phrase
S-Phrase

Special Precautions under 1999/45/EC Annex V: Not required

76/769/EEC

This product complies with applicable rules and regulations under 76/769/EEC

304/2003/EC Not regulated

**US** Information

Information on the label: Not required TSCA (Toxic Substances Control Act):

This product complies with all applicable rules and regulations under TSCA.

SARA Title III

313 Reportable Ingredients : Not regulated California Proposition 65 : Not regulated

Canada Information

WHMIS Controlled product: Not a controlled product

-5- [IS0]

Product Name: RICOH THERMAL TRANSFER RIBBON TYPE B210A MSDS Number: Date Prepared: 28/12/2007 Date Modified: 15/12/2010 OutputDate: 09/03/2016



#### 16.Other Information

NFPA Hazard Rating: National Fire Protection Agency (USA)

Health; 1, Flammability; 1, Reactivity; 0

HMIS Rating: The National Paint and Coating Association (USA)

Health; 1, Flammability; 1, Reactivity; 0

Literature References : ANSI Z400.1-1993

ANSI 2400.1-

ISO 11014-1

IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149–261

H. Muhle, B. Bellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka and R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17, pp 280–299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93" NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT"

ACGIH-TLV : Threshold Limit Values for Chemical Substances and Physical Agents and

Biological Exposure Indices

OSHA Z-Tables : US Department of Labor, 29CFR Part 1910, Tables Z-1, Z-2, and Z-3 NTP (USA) : US Department of Health and Human Services National Toxicology Program

Annual Report on Carcinogens DFG List of MAK and BAT Value

DFG-MAK DFG List of MAK and BAT Val
Symbol (EC) : EU Directive 67/548/EEC
91/155/ EEC : EU Directive 91/155/ EEC
1999/45/EC Annex V : EU Directive 1999/45/EC
76/769/ EEC : EU Directive 76/769/ EEC

EC 304/2003 : Regulation (EC) No 304/2003 of the European Parliament and of the Council of

28 January 2003 concerning the export and import of dangerous chemicals

WHMIS Controlled product: Canada Workplace Hazardous Information System

OELs-TWA (Australia) : Guidance Note on the Interpretation of Exposure Standards for Atmospheric

Contaminants in the Occupational Environment [NOHSC: 3008 (1995)]

Abbreviations:

OSHA PEL PEL (Permissible Exposure Limit) under Occupational Safety and Health Act

ACGIH-TLV TLV (Threshold Limit Values) under American Conference of Governmental Industrial

Hygienists

REACH (EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation,

Authorization and Restriction of Chemicals

SVHC Substances of Very High Concern ECHA The European Chemicals Agency

DFG-MAK
RoHS
MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft
Restriction of the use of certain Hazardous Substances in Electrical and Electronic

Equipment

TWA Time Weighted Average

IARC International Agency for Research on Cancer

NTP National Toxicology Program

WHMIS Workplace Hazardous Information System

NOHSC National Occupational Health and Safety Commission Act 1985

Disclaimer:

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of RICOH COMPANY, LTD.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

RICOH COMPANY, LTD assumes no legal responsibility for use or reliance upon this information.

-6- [IS0]