CITIZEN

# The desktop printer that makes life easy

Versatile desktop printer




### Fast print speed

Printing a typical courier label takes just one second with virtually instant first label printing.

### Durable internal power supply

All printers feature an internal mains power supply to provide the most reliable operation and avoid the problem of external power supplies.

### Thermal transfer

The CL-S621II is thermal transfer using a wide variety of ribbons to print on all media types.

TOMORROW'S PRINTING TODAY

## CL-S621II

**Label, Desktop**

### Applications

- Courier
- E-Seller
- Healthcare
- Hospitality
- Logistic / Transport
- Manufacturing
- Pharmacy
- Retail



Desktop size - industrial performance.

**CITIZEN SYSTEMS JAPAN CO., LTD**

# CITIZEN

## Specifications

| Model | CL-S621II |
|---|---|
| **Printing Technology** | Thermal Transfer + Direct Thermal |
| **Resolution** | 203 dpi |
| **Print Speed (maximum)** | 6 inches per second (150 mm/s) |
| **Print Width (maximum)** | 4 inches (104 mm) |
| **Media Width (min to max)** | 0.5 to 4 inches (12.5 to 118 mm) |
| **Roll Size (max), Core Size** | Inside diameter 5 inches (125 mm) External diameter 8 inches (200mm) Core size 1 inch (25mm) |
| **Media Thickness (min to max)** | 63.5 to 254 $\mu$m |
| **Media Length (min to max)** | 0.25 to 99.99 inches (6.35 to 2539.74mm) |
| **Media Sensor** | Fully adjustable gap, notch and reflective black mark |
| **Main Interface** | Dual Interface Serial (RS-232C), USB (version 1.1) |
| **Interface** | Wireless LAN 802.11b and 802.11g standards, 100 metres, 64/128 bit WEP, WPA, up to 54Mbps, Ethernet (10/100 BaseT), Parallel (IEEE 1284 compliant) |
| **Ribbon size** | 2.9 inches (74mm) maximum outside diameter. 360 metres length. 1 inch (25mm) core |
| **Ribbon winding & type** | Ink side in or out, switch selectable. Wax, Wax/Resin or Resin Type |
| **Ribbon system** | ARCP™ automatic ribbon tension adjustment |
| **Mechanism** | Hi-Lift™ metal mechanism with wide opening head |
| **Control panel** | 4 buttons and 4 LEDs |

# CL-S621II

**Label, Desktop**

## Features & Benefits

- Paper load: Durable design - Citizen's proven Hi-Lift™ all-metal mechanism
- Printing Speed: Fast print out - 6 inches per second (150 mm per second)
- Media support: Large media capacity - holds rolls up to 5 inches (127 mm)
- Ribbon options: Wide range of ribbon options - Uses up to 360 metres inside and outside wound ribbons
- Hi-Open™ case for vertical opening, no increase in footprint and safe closing.
- No more unreadable labels - the ARCP™ ribbon control technology assures clear prints.
- Low space requirement - integrated power supply enables clean work station
- ENERGY STAR® compliant
- Recyclable packacking
- Basic peeler




All-metal mechanisms for strength and durability.

**CITIZEN SYSTEMS JAPAN CO., LTD.**

CITIZEN

# CL-S621II

## Label, Desktop

| Model | CL-S621II |
|---|---|
| **Emulations (Languages)** | Citizen Original Commands, Datamax® I-Class™ & DMX400™, Cross-Emulation™ - automatic switching between Zebra® ZPL-II® and Datamax® I-Class®, DMX400, Zebra® ZPL-II®, BASIC interpreter for data stream processing, EPL-2® |
| **Drivers and software** | Free-of-charge on CD with printer, including support for various platforms |
| **Flash (Non-Volatile Memory)** | 16 MB total, 4MB available for user |
| **Size (W x D x H) and Weight** | 231 x 289 x 270 mm, 4.5 Kg |
| **Warranty** | 1 years on printer. 6 months or 30 Kms on printhead |

All product names are trademarks of the respective manufacturers. Zebra®, ZPL and EPL are trademarks of ZIH Corp. Datamax® is a trademark of Datamax-O'Neil Corporation. Designs, specifications and availability are subject to change without notice. Errors and omissions excluded. © Citizen Systems Europe GmbH, V.1.0