

RELIABLE, SEAMLESS INTEGRATION MAKES ALL THE DIFFERENCE.



At Epson, we focus on the details. Epson passbook printers are a definite sleek and sound investment for your organisation. Based on Epson's experience in delivering industry-standard solutions, these printers help you run and grow your business and stay in control of your operations. With the flexible and versatile PLQ-35/50 series passbook printers, you can increase service productivity and operational efficiency while maintaining a low total cost of ownership. For multifunctional requirement, opt for the PLQ-50CSM passbook printer, which revolutionises document processing.



Print



High Speed
Printing



Colour LED
Control Panel



Cost Effective



Power
Savings

1.44" Colour LED Control Panel

With the new feature of 1.44" colour LED control panel* for easy settings, configuration and checking printer status without wasting paper.

Fast Print Speed

Maximise productivity with faster printing speed of up to 630 cps (10 cpi).

Enhanced Reliability

Better reliability with printhead life up to 600 millions strokes/wire (in characters) and mean-time-between failure (MTBF) of up to 35,000 POH (power on hours).

DOT MATRIX PRINTERS PASSBOOK PRINTERS PLQ-35/50/50M

Astounding Speeds

Accomplish more, in shorter periods of time with high print speed of up to 630 cps (10cpi). Epson PLQ-35/50 series step-up print speeds through automatic sheet alignment, automatic printhead adjustment, and automatic page border features so you can enjoy hassle-free productivity that surpasses expectations.



Reliability

Built to last, the PLQ-35/50 series will continue to perform consistently, even in the most demanding of environments. Waste no time on maintenance with a remarkably high Mean Volume Between Failures (MVBF) of 7 million lines, amazing Mean Time Before Failure (MTBF) of 35,000 power-on hours, and a printhead life of up to 600 million strokes/wire (in characters).

Versatility

The PLQ-35/50 series printers are not only the ideal choice for passbook printing; their versatility also accommodates a wide variety of printing needs.

One of the key advantages of the PLQ-35/50 series is the ability to print on a variety of media that is used in financial institutions and government departments. These include passbooks of up to 2.6mm thickness, banking slips, visas, forms, receipts, tickets and a variety of other official documents.

Additionally, a myriad of options is readily available to suit a variety of business needs, including continuous paper feeding, cut-sheets and label printing. The printers also make multi-copy printing simple, with 1+6 copies of carbon printing for data archiving and duplicates.



Seamless Integration

Epson PLQ-35/50 series suits existing IT infrastructure with the ability to emulate IBM, Wincor and Olivetti control code. The printers come with Parallel, Serial, and USB interfaces that can conveniently integrate the printers into your existing systems.

Fuss-free and Easy

Enjoy fuss-free operations with the 1.44" colour LED screen control panel* that allows print setting to be changed easily without paper wastage. The printers user-friendly maintenance capabilities such as simple ribbon changing procedure helps to reduce costly and time-consuming IT support.



*PLQ-50/50M/50CSM only

Low Total Cost of Ownership

The benefits of high productivity and low ribbon yield, coupled with low service maintenance, results in a much reduced total cost of ownership. With a ribbon life of up to 10 million characters yield, ribbons on the PLQ-35/50 series of printers are longer lasting than conventional printers.

Smart Functionality

Auto Platen Gap Adjustment

The automated moving platen and roller-equipped printhead enable the PLQ-35/50 to accept a variety of media thickness.

Auto Sheet Alignment

Photo sensors detect and automatically instruct the paper feed roller to realign any misfed documents.

Auto Border Function

A paper width detector intelligently enables printing at the same distance from the paper edge wherever the paper is set within the paper tray. Paper widths are also automatically detected to ensure printing at the proper position on the fed material.

Consistent High Quality Prints

Epson products and genuine supplies work together in perfect synergy to give you peace of mind with optimal quality printouts.

Epson genuine ribbons ensure greater yield, better quality and longer product lifespan over time.



All-in-One Convenience

Eliminate storage and transportation needs with the PLQ-50CSM printer. Equipped with the abilities of ID photo card scan and Magnetic Stripe Reader/Writer (MSRW), you have the perfect product for all front desk operations while you save space, time, and costs with digitisation.



ID Photo card scan



Easy Feed for Perfect Scans

Epson PLQ-50CSM printer has the ability to detect and correct slanted documents through a variety of document sizes and materials (e.g. from a passbook to an ID photo card). Its skew adjustment function and smart paper-position detector ensure that every scan you make is perfectly aligned.



Passbook feeder



Invoice feeder

Advanced Scanning Capabilities

You can easily process bill payments for your customers with the printer's advanced scanning capabilities. The device is able to enhance characters that are on a background image and improve the readability of characters with the Text Enhancement function. Aside from simple scanning jobs, the PLQ-50CSM printer allows you to scan and then crop a document to create images of the necessary portion of a document.

Feature: Text Enhancement

Epson offers an extensive array of POS printers and transaction terminals for the retail and financial markets.

Epson is the leading provider of image-based electronic check implementations. Epson has taken a leadership position in the transformation of check payments from the physical to the digital taking advantage of ACH, Check 21, and Image Exchange platforms.

Original

Epson offers an extensive array of POS printers and transaction terminals for the retail and financial markets.

Epson is the leading provider of image-based **electronic** check implementations. Epson has taken a **leadership** position in the transformation of check payments from the physical to the digital taking advantage of ACH, Check 21, and Image Exchange platforms.


Text Enhancement Off

Epson offers an extensive array of POS printers and transaction terminals for the retail and financial markets.

Epson is the leading provider of image-based electronic check implementations. Epson has taken a leadership position in the transformation of check payments from the physical to the digital taking advantage of ACH, Check 21, and Image Exchange platforms.

Text Enhancement On

Feature: Image Cropping



Cropped image showing customer's name and address



Cropped image showing customer's signature stamp


SPECIFICATIONS

Product Name		PLQ-35	PLQ-50/50M	PLQ-50CSM
Printer Type				
Print Method		24 pins Impact Dot Matrix		
Colour		Black		
Print Direction		Bi-direction with logic seeking		
Control Code		PR2, WNI4915, IBM4722, IBM PPDS, ESC/P2, ESC/P2 + ESC/MC*		
Control Panel		3 Buttons + 5 LED	3 Buttons + 5 LED + 1.44” Colour LCD panel	
Printer Speed				
PR2 Emulation (10 cpi)				
Ultra High Speed Draft		540	630	
High Speed Draft		480	560	
Draft		360	420	
NLQ		180	210	
LQ		120	140	
ESC/P2, Others (10 cpi)				
Ultra High Speed Draft		540	630	
High Speed Draft		480	560	
Draft		360	420	
LQ		120	140	
IBM 4722				
Standard Text (10 cpi)		360	420	
NLQ (10 cpi)		240	280	
Print Characteristics				
Character Table		International , PC437, PC850, PC860, PC863, PC865, PC861, BRASCI, Abicomp, Roman 8, ISO Latin 1, PC858 CP847 (Thai with TIS Extended) - for IBM 4722 Emulation only		
Barcode		EAN-13, EAN-8, Interleaved 2 of 5, UPC-A, UPC-E, Code39, Code128, POSTNET		
Printable Column				
Pitch		10 cpi: 94 cpl, 12 cpi: 112 cpl		
Paper /Media Handling				
Paper Path		Manual Insertion (front in, front out/ front in, rear out)		
Passbook	Width	110 - 241.3 mm		
	Length	Horizontal: 127 - 220 mm, Vertical: 85 - 220 mm		
	Thickness	Maximum: 2.6 mm, Cover Page: 0.2 - 0.5 mm, Each Page: 0.1 - 0.15 mm		
Cut Sheet Size	Width	65 - 245 mm		
	Length	67 - 297 mm		
	Thickness	Single Sheet: 0.065 - 0.19 mm Multi Part: 0.12 - 0.53 mm		
Cheque	Width	120 - 216 mm		
	Height	68 - 120 mm		
	Thickness	0.075 - 0.2 mm		
Magnetic Strip**	Width	-	Minimum 19mm from the bottom edge with maximum 5mm gap from the edge	
	Length	-	Minimum 90mm from the left edge with maximum 2.9mm gap from the edge	
Acoustic Noise (dB)	A4 Single Sheet	55	PLQ-50: 55 PLQ-50M: 58	58
		52	PLQ-50: 52 PLQ-50M: 55	55
	Passbook			
Copy		1 original + 6 copies		
Line Spacing		1/6 inch		
Interface				
		Bi-directional parallel interface (IEEE-1284 nibble mode supported), Serial I/F, High Speed USB 2.0		
Ribbon Cartridge				
Colour		Black		
Type		Fabric		
Ribbon Life		Approx. 5 million characters (LQ 10 cpi, 48 dots/character) Approx. 10 million characters (Draft 10 cpi, 24 dots/character)		
Reliability				
Mean Print Volume Between Failure (MVBF)		21 million lines	24 million lines	
Mean Time Before Failure (MTBF)		30000 POH	35000 POH	
Print Head Life		400	600	
Scanner Specifications				
Scanner Type		-	Document Feed	
Sensor		-	CIS	
Scanning Area		-	216 x 356 mm	
Output Resolution		-	Main 600 dpi / 300 dpi / 200 dpi Sub 600 dpi / 300 dpi / 200 dpi	
Maximum Effective Pixels		-	5100 x 2550	
Bit Depth		-	Colour : 24 bit / RGB Mono: 1 bit / Black and White Greyscale: 8 bit	
Scanning Speed	300 / 600 dpi	-	Mono: 20.1 / 3.9 inch/sec Colour: 7.7 /1.3 inch/sec	
Optical Character Recognition		-	OCR A/B	
Barcode		-	Code 39, Code 128, ITF (Interleaved 2 of 5), EAN8, EAN13 UPC-A/UPC-E, Codebar (NW7)	
Scanning Life		-	200,000 scans	
Environmental Conditions				
Temperature		Operating: 5 - 38 °C		
Humidity		Operating: 10 - 85 % RH		
Electrical Specification				
Rated Voltage		AC 100 - 240 V		
Rated Frequency		50 - 60 Hz		
Power Consumption	In Operation	61 W	77 W	
	Sleep Mode	0.7 W	0.8W	
Printer Driver				
Supported Operating System		Microsoft Windows XP, Vista, 7, 8, 8.1, 10. Windows Server 2003, 2008, 2012, 2016		
Software				
		Status Monitor		

Dimensions & Weight

PLQ-35

Weight: 7.8 kg



PLQ-50 / PLQ-50M / PLQ-50CSM

Weight: 7.9 kg (PLQ-50)
8.9 kg (PLQ-50M)
9.1 kg (PLQ-50CSM)



Accessories

User's Manual CD
Setup Guide
Ribbon Cartridge (Black) - C13S015592
Power Supply Cable

Legend

cpi characters per 25.4 mm
(characters per inch)
cps characters per second
cpl characters per line
POH Power On Hours

* For M model only (Magnetic Strip Command)
** Not applicable to PLQ-50, recording area varies for each Magnetic Strip Standard

© 2020 Epson Singapore Pte Ltd. All Rights Reserved.
Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Information correct as at September 2020