

PRODUCT RETIREMENT NOTICE

PRN 16 - 08 • APRIL 1, 2016

Honeywell Announces End of Life Plan for the Dolphin 6100/6500 Mobile Computers

This notice serves as formal communication of Honeywell Sensing & Productivity Solutions' (S&PS) intent to discontinue the following products:

- D6100 Windows CE5.0 Mobile Computers
- D6500 Windows Embedded Handheld Mobile Computers
- D6500 Windows CE5.0 Mobile Computers

Reason for Retirement

Several components contained within the D6100/D6500 have been announced as end of life by their respective suppliers, and Honeywell S&PS is no longer able to obtain additional components for new product sales. These component issues have forced the retirement of the D6100/D6500, which was first shipped in late 2009. Many of the accessories used with the D6100/D6500 may also be used with D6110/D6510.

Retired Part Numbers

This retirement notice attempts to identify all SKUs affected by the discontinuation of the D6100/D6500. It is possible that some part numbers were missed in the list provided below. Honeywell S&PS reserves the right to include omitted SKUs if they are related to the products listed above, even if the SKU is not specifically listed in this notice. Those omitted SKUs are subject to the terms specified within this document. If you are unsure of a specific SKU, please contact your Honeywell representative for clarification.

PART NUMBER	DESCRIPTION
6500BP11211E0H	WPAN (Bluetooth®) / 5300SR Imager with high-vis aiming pattern / 28 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500BP11222E0H	WPAN (Bluetooth®) / 5300SR Imager with high-vis aiming pattern / 28 key / 256MB RAM x 256MB Flash / Windows® Embedded Handheld 6.5 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500BP12211E0H	WPAN (Bluetooth®) / 5300SR Imager with high-vis aiming pattern / 52 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500BP12222E0H	WPAN (Bluetooth®) / 5300SR Imager with high-vis aiming pattern / 52 key / 256MB RAM x 256MB Flash / Windows® Embedded Handheld 6.5 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus

PRODUCT RETIREMENT NOTICE

6500BP81211E0H	WPAN (Bluetooth®) / IS4813 Laser Engine / 28 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500BP81222E0H	WPAN (Bluetooth®) / IS4813 Laser Engine / 28 key / 256MB RAM x 256MB Flash / Windows® Embedded Handheld 6.5 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500BP82211E0H	WPAN (Bluetooth®) / IS4813 Laser Engine / 52 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500BP82222E0H	WPAN (Bluetooth®) / IS4813 Laser Engine / 52 key / 256MB RAM x 256MB Flash / Windows® Embedded Handheld 6.5 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500EP11211E0H	WLAN and WPAN (802.11 b/g (EMEA) and Bluetooth®) / 5300SR Imager with high-vis aiming pattern / 28 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500EP11222E0H	WLAN and WPAN (802.11 b/g (EMEA) and Bluetooth®) / 5300SR Imager with high-vis aiming pattern / 28 key / 256MB RAM x 256MB Flash / Windows® Embedded Handheld 6.5 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500EP12211E0H	WLAN and WPAN (802.11 b/g (EMEA) and Bluetooth®) / 5300SR Imager with high-vis aiming pattern / 52 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500EP12222E0H	WLAN and WPAN (802.11 b/g (EMEA) and Bluetooth®) / 5300SR Imager with high-vis aiming pattern / 52 key / 256MB RAM x 256MB Flash / Windows® Embedded Handheld 6.5 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500EP32211E0H	WLAN and WPAN (802.11 b/g (EMEA) and Bluetooth®) / 5300HD Imager with high-vis aiming pattern / 52 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500EP32222E0H	WLAN and WPAN (802.11b/g (EMEA) and Bluetooth®) / 5300 HD Imager / 52 key / 256 MB RAM x 256 MB Flash / Windows® Embedded Handheld 6.5 / Extended battery / Power adaptor / Handstrap / Stylus
6500EP62222E0H	WLAN and WPAN (802.11 b/g (EMEA) and Bluetooth®) / 5100HD Imager / 52 key / 256MB RAM x 256MB Flash / Windows® Embedded Handheld 6.5 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500EP81211E0H	WLAN and WPAN (802.11 b/g (EMEA) and Bluetooth®) / IS4813 Laser Engine / 28 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500EP81222E0H	WLAN and WPAN (802.11 b/g (EMEA) and Bluetooth®) / IS4813 Laser Engine / 28 key / 256MB RAM x 256MB Flash / Windows® Embedded Handheld 6.5 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500EP82211E0H	WLAN and WPAN (802.11 b/g (EMEA) and Bluetooth®) / IS4813 Laser Engine / 52 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500EP82222E0H	WLAN and WPAN (802.11 b/g (EMEA) and Bluetooth®) / IS4813 Laser Engine / 52 key / 256MB RAM x 256MB Flash / Windows® Embedded Handheld 6.5 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus

PRODUCT RETIREMENT NOTICE

6500LP11211E0H	WLAN and WPAN (802.11 b/g (US) and Bluetooth®) / 5300SR Imager with high-vis aiming pattern / 28 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500LP11222E0H	WLAN and WPAN (802.11 b/g (US) and Bluetooth®) / 5300SR Imager with high-vis aiming pattern / 28 key / 256MB RAM x 256MB Flash / Windows® Embedded Handheld 6.5 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500LP12211E0H	WLAN and WPAN (802.11 b/g (US) and Bluetooth®) / 5300SR Imager with high-vis aiming pattern / 52 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500LP12222E0H	WLAN and WPAN (802.11 b/g (US) and Bluetooth®) / 5300SR Imager with high-vis aiming pattern / 52 key / 256MB RAM x 256MB Flash / Windows® Embedded Handheld 6.5 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500LP81211E0H	WLAN and WPAN (802.11 b/g (US) and Bluetooth®) / IS4813 Laser Engine / 28 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500LP81222E0H	WLAN and WPAN (802.11 b/g (US) and Bluetooth®) / IS4813 Laser Engine / 28 key / 256MB RAM x 256MB Flash / Windows® Embedded Handheld 6.5 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500LP82211E0H	WLAN and WPAN (802.11 b/g (US) and Bluetooth®) / IS4813 Laser Engine / 52 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6500LP82222E0H	WLAN and WPAN (802.11 b/g (US) and Bluetooth®) / IS4813 Laser Engine / 52 key / 256MB RAM x 256MB Flash / Windows® Embedded Handheld 6.5 / 3300 mAh battery / Power Adaptor / Handstrap / Stylus
6100BP11111E0H	WPAN (Bluetooth®) / 5300SR Imager with high-vis aiming pattern / 28 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / Std battery / Power Adaptor / Handstrap / Stylus
6100BP11211E0H	WPAN (Bluetooth®) / 5300SR Imager with high-vis aiming pattern / 28 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / Ext Capacity battery / Power Adaptor / Handstrap / Stylus
6100BP81111E0H	WPAN (Bluetooth®) / IS4813 Laser Engine / 28 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / Std battery / Power Adaptor / Handstrap / Stylus
6100BP81211E0H	WPAN (Bluetooth®) / IS4813 Laser Engine / 28 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / Ext Capacity battery / Power Adaptor / Handstrap / Stylus
6100EP11111E0H	WLAN and WPAN (802.11b/g (EMEA) and Bluetooth®) / 5300SR Imager with high-vis aiming pattern / 28 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / Std battery / Power Adaptor / Handstrap / Stylus
6100EP11211E0H	WLAN and WPAN (802.11b/g (EMEA) and Bluetooth®) / 5300SR Imager with high-vis aiming pattern / 28 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / Ext Capacity battery / Power Adaptor / Handstrap / Stylus
6100EP31211E0H	WLAN and WPAN (802.11b/g (EMEA) and Bluetooth®) / 5300HD Imager / 28 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / Extended battery / Power Adaptor / Handstrap / Stylus

PRODUCT RETIREMENT NOTICE

6100EP81111E0H	WLAN and WPAN (802.11b/g (EMEA) and Bluetooth®) / IS4813 Laser Engine / 28 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / Std battery / Power Adaptor / Handstrap / Stylus
6100EP81211E0H	WLAN and WPAN (802.11b/g (EMEA) and Bluetooth®) / IS4813 Laser Engine / 28 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / Ext Capacity battery / Power Adaptor / Handstrap / Stylus
6100JP11111E0H	WLAN and WPAN (802.11b/g (Japan) and Bluetooth®) / 5300SR Imager with high-vis aiming pattern / 28 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / Std battery / Power Adaptor / Handstrap / Stylus
6100LP11111E0H	WLAN and WPAN (802.11b/g (US) and Bluetooth®) / 5300SR Imager with high-vis aiming pattern / 28 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / Std battery / Power Adaptor / Handstrap / Stylus
6100LP11211E0H	WLAN and WPAN (802.11b/g (US) and Bluetooth®) / 5300SR Imager with high-vis aiming pattern / 28 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / Ext Capacity battery / Power Adaptor / Handstrap / Stylus
6100LP81111E0H	WLAN and WPAN (802.11b/g (US) and Bluetooth®) / IS4813 Laser Engine / 28 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / Std battery / Power Adaptor / Handstrap / Stylus
6100LP81211E0H	WLAN and WPAN (802.11b/g (US) and Bluetooth®) / IS4813 Laser Engine / 28 key / 128MB RAM x 128MB Flash / Windows® CE 5.0 / Ext Capacity battery / Power Adaptor / Handstrap / Stylus

Recommended Migration Models

For customers seeking a D6500 WEH 6.5 replacement, the CK3R/X with WEH 6.5 operating system or D6110 with WEH 6.5 operating system are recommended.

For customers seeking a D6500 CE 5.0 replacement, the upcoming Dolphin 6510 with CE 6.0 operating system is recommended. (The D6510 CE 6.0 will be released Q3 2016.)

For customers seeking a D6100 CE 5.0 replacement, the upcoming Dolphin 6110 with CE 6.0 operating system is recommended. (The D6110 CE 6.0 will be released Q3 2016.)

Updated Products (or New SKUs) for Dolphin 6110/6510 (APAC Region)

RETIRED D6100 PART NUMBER	REPLACEMENT D6110 PART NUMBER	REPLACEMENT D6110 SKU DESCRIPTION
6100EP11111E0H	6110GPB1133E0H	6110/WW 802.11abgn/BT/5603SR-BR4-1/28-KEY/Std battery/QVGA/AM3715-800 MHz/512MB RAM x 512MB FLASH/Win CE 6.0 Pro/ENG/Non CHN HW
6100BP11111E0H	6110GPB1133E0H	6110/WW 802.11abgn/BT/5603SR-BR4-1/28-KEY/Std battery/QVGA/AM3715-800 MHz/512MB RAM x 512MB FLASH/Win CE 6.0 Pro/ENG/Non CHN HW

PRODUCT RETIREMENT NOTICE

6100EP31211E0H	6110GPC1233E0H	6110/WW 802.11abgn/BT/5603HD-BR4-1/28-KEY/Extended battery/QVGA/AM3715-800 MHz/512MB RAM x 512MB FLASH/Win CE 6.0 Pro/ENG/Non CHN HW
6100EP11211E0H	6110GPB1233E0H	6110/WW 802.11abgn/BT/5603SR-BR4-1/28-KEY/Extended battery/QVGA/AM3715-800 MHz/512MB RAM x 512MB FLASH/Win CE 6.0 Pro/ENG/Non CHN HW
6100BP11211E0H	6110GPB1233E0H	6110/WW 802.11abgn/BT/5603SR-BR4-1/28-KEY/Extended battery/QVGA/AM3715-800 MHz/512MB RAM x 512MB FLASH/Win CE 6.0 Pro/ENG/Non CHN HW
RETIRED D6500 PART NUMBER	REPLACEMENT D6510 PART NUMBER	REPLACEMENT D6510 SKU DESCRIPTION
6500EP11211E0H	6510GPB1233E0H	6510/WW 802.11abgn/BT/5603SR-BR4-1/28-KEY/3300 mAh battery/QVGA/AM3715-1GHz/512MB RAM x 1GB FLASH/Win CE 6.0 Pro/ENG/Non CHN HW
6500BP11222E0H	6510GPB1233E0H	6510/WW 802.11abgn/BT/5603SR-BR4-1/28-KEY/3300 mAh battery/QVGA/AM3715-1GHz/512MB RAM x 1GB FLASH/Win CE 6.0 Pro/ENG/Non CHN HW
6500EP11222E0H	6510GPB1233E0H	6510/WW 802.11abgn/BT/5603SR-BR4-1/28-KEY/3300 mAh battery/QVGA/AM3715-1GHz/512MB RAM x 1GB FLASH/Win CE 6.0 Pro/ENG/Non CHN HW
6500BP11211E0H	6510GPB1233E0H	6510/WW 802.11abgn/BT/5603SR-BR4-1/28-KEY/3300 mAh battery/QVGA/AM3715-1GHz/512MB RAM x 1GB FLASH/Win CE 6.0 Pro/ENG/Non CHN HW
6500EP12211E0H	6510GPB2233E0H	6510/WW 802.11abgn/BT/5603SR-BR4-1/52-KEY/3300 mAh battery/QVGA/AM3715-1GHz/512MB RAM x 1GB FLASH/Win CE 6.0 Pro/ENG/Non CHN HW
6500BP12211E0H	6510GPB2233E0H	6510/WW 802.11abgn/BT/5603SR-BR4-1/52-KEY/3300 mAh battery/QVGA/AM3715-1GHz/512MB RAM x 1GB FLASH/Win CE 6.0 Pro/ENG/Non CHN HW
6500EP12222E0H	6510GPB2233E0H	6510/WW 802.11abgn/BT/5603SR-BR4-1/52-KEY/3300 mAh battery/QVGA/AM3715-1GHz/512MB RAM x 1GB FLASH/Win CE 6.0 Pro/ENG/Non CHN HW
6500EP62222E0H	6510GPF2233E0H	6510/WW 802.11abgn/BT/5600HD-BR0-1/52-KEY/3300 mAh battery/QVGA/AM3715-1GHz/512MB RAM x 1GB FLASH/Win CE 6.0 Pro/ENG/Non CHN HW

PRODUCT RETIREMENT NOTICE

Updated Products (or New SKUs) for CK3R (Suggestions)

RETIRED D6500 PART NUMBER	REPLACEMENT CK3R PART NUMBER	REPLACEMENT CK3R SKU DESCRIPTION
6500BP11222E0H	CK3RAB4S000W410A	CK3R / Numeric - Function / EA31 Standard Range Imager / No Camera / 802.11 b/g/n / Bluetooth / WEH 6.5 / All Languages
6500BP12222E0H	CK3RAA4S000W410A	CK3R / Alphanumeric / EA31 Standard Range Imager / No Camera / 802.11 b/g/n / Bluetooth / WEH 6.5 / All Languages
6500BP81222E0H	CK3RAB4S000W410A	CK3R / Numeric - Function / EA31 Standard Range Imager / No Camera / 802.11 b/g/n / Bluetooth / WEH 6.5 / All Languages
6500BP82222E0H	CK3RAA4S000W410A	CK3R / Alphanumeric / EA31 Standard Range Imager / No Camera / 802.11 b/g/n / Bluetooth / WEH 6.5 / All Languages
6500EP11222E0H	CK3RAB4S000W410A	CK3R / Numeric - Function / EA31 Standard Range Imager / No Camera / 802.11 b/g/n / Bluetooth / WEH 6.5 / All Languages
6500EP12222E0H	CK3RAA4S000W410A	CK3R / Alphanumeric / EA31 Standard Range Imager / No Camera / 802.11 b/g/n / Bluetooth / WEH 6.5 / All Languages
6500EP32222E0H	CK3RAA4S000W410A	CK3R / Alphanumeric / EA31 Standard Range Imager / No Camera / 802.11 b/g/n / Bluetooth / WEH 6.5 / All Languages
6500EP62222E0H	CK3RAA4S000W410A	CK3R / Alphanumeric / EA31 Standard Range Imager / No Camera / 802.11 b/g/n / Bluetooth / WEH 6.5 / All Languages
6500EP81222E0H	CK3RAB4S000W410A	CK3R / Numeric - Function / EA31 Standard Range Imager / No Camera / 802.11 b/g/n / Bluetooth / WEH 6.5 / All Languages
6500EP82222E0H	CK3RAB4S000W410A	CK3R / Numeric - Function / EA31 Standard Range Imager / No Camera / 802.11 b/g/n / Bluetooth / WEH 6.5 / All Languages
6500LP11222E0H	CK3RAA4S000W410A	CK3R / Alphanumeric / EA31 Standard Range Imager / No Camera / 802.11 b/g/n / Bluetooth / WEH 6.5 / All Languages
6500LP12222E0H	CK3RAB4S000W410A	CK3R / Numeric - Function / EA31 Standard Range Imager / No Camera / 802.11 b/g/n / Bluetooth / WEH 6.5 / All Languages
6500LP81222E0H	CK3RAA4S000W410A	CK3R / Alphanumeric / EA31 Standard Range Imager / No Camera / 802.11 b/g/n / Bluetooth / WEH 6.5 / All Languages
6500LP82222E0H	CK3RAB4S000W410A	CK3R / Numeric - Function / EA31 Standard Range Imager / No Camera / 802.11 b/g/n / Bluetooth / WEH 6.5 / All Languages

Regions Affected

- Asia Pacific (APAC)
- Europe
- Middle East, Turkey, Africa (META)
- Latin America (LATAM)
- North America (NA)

PRODUCT RETIREMENT NOTICE

Timeline of Events

The following timeline pertains to all retired D6100/D6500 Windows CE 5.0 & D6500 WEH 6.5 Configurations. These dates are subject to change based on availability.

Last Time Buy	Honeywell will not accept hardware orders after this date	May 31, 2016
Last Time Ship	Honeywell will not ship product after this date	June 30, 2016
Stock Rotation Request	Honeywell will not accept requests for stock rotation after this date	May 6, 2016
Stock Rotation Return	Honeywell must receive all stock rotation units by this date	May 31, 2016
Last 3 Year Contract	Honeywell will not accept 3 year contract orders after this date	August 31, 2016
Last Service Renewal	Honeywell will not accept service contract orders after this date	December 31, 2018
Last Contract Service	Honeywell will not service product under contract after this date	December 31, 2019
End of Service	Honeywell will not offer accessories, spare parts or servicing of units after this date	December 31, 2019

Best Practices - Preparing for Service Retirement

- **Plan** – Proactively plan a technology refresh. The earlier you plan, the easier it is to protect your current assets, budget for the future and adopt new technology.
- **Protect** – Purchase a service contract that will protect your mission critical assets and your bottom line by providing predictable repair costs, preventative maintenance and updates to software and firmware.
- **Extend** – Extend your current contract and manage your assets to the end of their useful life.

PRODUCT RETIREMENT NOTICE

Service Commitment

Honeywell S&PS will maintain our commitment to our customers by supporting and servicing discontinued product at all worldwide service centers throughout the life of all warranties in place, as long as the required parts are commercially available.

Contractual Agreements

Individual customer contractual agreements for these products are outside the bounds of this retirement notice. Honeywell S&PS will endeavor to support these agreements to the best of its abilities. Please contact your Honeywell S&PS representative for more information.

For More Information...

Honeywell S&PS is committed to providing you with a superior level of customer service. Please contact your Honeywell S&PS representative for additional information regarding this communication.

For more information:

www.honeywellaidc.com

Honeywell Sensing & Productivity Solutions

9680 Old Bailes Road

Fort Mill, SC 29707

800-582-4263

www.honeywell.com

Honeywell