

Printer Portfolio




INDUSTRIAL PRINTERS

Series	Max Media Width	Print Resolution	Max. Print Speed	Print Mode	Connectivity	Print Languages	RFID Support
HIGH TIER							
PX4i							
	4.7"	203/300/406 dpi	300 mm/s (12 ips)	Direct Thermal, Thermal Transfer	 Industrial Port, Dual Serial Ports	Fingerprint/ Direct Protocol, IPL, ZSim (ZPL), DSim (DPL)	-
PX6i							
	6.6"	203/300 dpi	225 mm/s (9 ips)	Direct Thermal, Thermal Transfer	 Industrial Port, Dual Serial Ports	Fingerprint/ Direct Protocol, IPL, ZSim (ZPL), DSim (DPL)	-
H-Class ★							
	8.5"	203/300/406/600 dpi	300 mm/s (12 ips)	Direct Thermal, Thermal Transfer	 Industrial Port, Dual Serial Ports	PL-Z, PL-B, PL-I	HF/UHF
MID TIER							
PM43/PM43c							
	4.5"	203/300/406 dpi	300 mm/s (12 ips)	Direct Thermal, Thermal Transfer	 Industrial Interface, Dual Serial Ports	Fingerprint/ Direct Protocol, IPL, DSim (DPL), XML enabled, C# for printers, ZSim2	UHF
NEW PM42 ★							
	4.5"	203/300/406 dpi	300 mm/s (12 ips)	Direct Thermal, Thermal Transfer	 Industrial Interface, Dual Serial Ports	Fingerprint, DP, IPL, DPL, XML enabled, C# for printers, ZSim2	No
I-Class MK II ★							
	4.6"	203/300/600 dpi	300 mm/s (12 ips)	Direct Thermal, Thermal Transfer	 Industrial Interface, Dual Serial Ports	DPL, PL-Z, PL-I,	No
M-Class MK II ★							
	4.6"	203/300 dpi	254 mm/s (10 ips)	Direct Thermal, Thermal Transfer	 Industrial Interface, Dual Serial Ports	PL-Z, PL-I, PL-B	HF/UHF*
PM23c							
	2.7"	203/300/406 dpi	300 mm/s (12 ips)	Direct Thermal, Thermal Transfer	 Industrial Interface	Fingerprint/ Direct Protocol, IPL, DSim (DPL), XML enabled, C# for printers, ZSim2	UHF
VALUE TIER							
PD43 ★ / PD43c							
	4.6"	203/300 dpi	203 mm/s (8 ips)	Direct Thermal, Thermal Transfer	 Industrial Interface	Fingerprint/ Direct Protocol, IPL, ESim (EPL), DSim (DPL), XML enabled, C# for printers, ZSim2	HF/UHF

* M-4210 / M4308

Products with a Star (★) represents the APAC Focus Models.

DESKTOP PRINTERS

Series	Max Media Width	Print Resolution	Max. Print Speed	Print Mode	Connectivity	Print Languages	RFID Support
HIGH TIER							
PC43d/t ★							
	4.6"	203/300 dpi	203 mm/s (8 ips)	Thermal Transfer		Fingerprint/ Direct Protocol, IPL, DSIm (DPL), C# for printers, ZSim2	UHF
MID TIER							
E-Class Basic/Advanced/ Professional ★							
	4.4"	203/300 dpi	Basic: 101 mm/s (4 ips) Advanced: 127 mm/s (5 ips) Pro: 152 mm/s (6 ips)	Direct Thermal, Thermal Transfer	Basic:  Advanced:  Pro: 	PL-Z, PL-I, PL-B PL-E, XML enabled	No
VALUE TIER							
PC42t ★							
	4.3"	203 dpi	101 mm/s (4 ips)	Direct Thermal, Thermal Transfer	 Host and Device	Direct Protocol (DP), ESIm (EPL), ZSim2	No

MOBILE LABEL PRINTERS

Series	Media Type	Max Media Width	Print Resolution	Max. Print Speed	Print Mode	Connectivity	Print Languages
RL3e/4e ★							
	Label	2.8", 4.1" WW	203 dpi	101 mm/s (4 ips)	Direct Thermal		EZ-Print, DPL, ZPL II, CPCL, IPL, XML (limited)
PB22/32 ★ /50							
	Label	2.2", 3.3", 4.4"	203 dpi	101 mm/s (4 ips)	Direct Thermal		IPL, Fingerprint, ZSim (ZPLII), DSIm (DPL), ESC-P

MOBILE RECEIPT PRINTERS

Series	Media Type	Max Media Width	Print Resolution	Max. Print Speed	Print Mode	Connectivity	Print Languages
MID TIER							
MF4te ★							
	Receipt	4.1"	203 dpi	51 mm/s (2 ips)	Direct Thermal	 	EZ-Print, Line Mode
PB21/31 ★ /51							
	Receipt	2.2", 3.3", 4.4"	203 dpi	101 mm/s (4 ips)	Direct Thermal	  	IPL, Fingerprint, ZSim (ZPLII), DSim (DPL), ESC-P
VALUE TIER							
PR2/3 ★							
	Receipt	2.2", 3.3"	203 dpi	76 mm/s (3 ips)	Direct Thermal	  	CSim (CPCL) XSim (Ex-PCL) ESC-P
APEX 2i/3i/4i							
	Receipt	1.9"/ 2.8"/ 4.1"	203 dpi	51 mm/s (2 ips)	Direct Thermal	  (APEX 3i & 4i Only),  2.1 and IrDA	ExPCL, Line Mode

Products with a Star (★) represents the APAC Focus Models.

To View the APAC Printer Warranty Terms, Please Scan the QR Code below:



or Visit:

<https://now.honeywellaidc.com/rs/801-ATQ-538/images/APAC%20Printer%20Warranty%20Terms.pdf>

For more information

www.honeywellaidc.com

Honeywell Safety and Productivity Solutions

Asia Pacific Headquarters
17 Changi Business Park Central 1
Honeywell Building
Singapore 486073
Tel: +65 6714-6800

Printer_Portfolio_SB | Rev01 | 12/16
© 2016 Honeywell International Inc.

Honeywell